

Certificate of Analysis

PREPARED MICROBIOLOGICAL MEDIA



Catalogue Number	CMS155-10-10
Product Description	Potato Dextrose Agar, 10ml tube, Package of 10
Lot Number	1091
Date of Manufacture	2 May 2022
Expiry Date	1 July 2022

QA Testing:	Result:	Expected:
Characteristics	Pass	Pass
Sterility	Pass	Pass
Performance	Pass	Pass

pH	5.1 @ 25°C
Appearance	Very Light Amber, Clear
Storage Condition	Refrigerate, 2-8°C

Sterility Method	Autoclave
Sterility Test	Pass
(Absence of growth following 72 hours at 30 - 35°C)	

Organisms	Incubation	Results
<i>Candida albicans</i> ATCC 10231	25 ± 2°C for up to 7 days	Good Growth
<i>Saccharomyces cerevisiae</i> ATCC 9763	25 ± 2°C for up to 7 days	Good Growth
<i>Aspergillus brasiliensis (niger)</i> ATCC 16404	25 ± 2°C for up to 7 days	Good Growth

Released By: Mehdi Kargar

Date: 5 May 2022

All our prepared media products are manufactured at our site in RCFFN, University of Manitoba and tested both at our site and by department of Microbiology, University of Manitoba.

The generation of this certificate confirms all sterilization and performance criteria have been achieved.

NOTE: Expiry Date only valid if packs stored unopened at Ambient Room Temperature not exceeding 25°C.

CBSAlife

155-196 Innovation Drive, Winnipeg, MB, R3T 2N2, Canada

Phone: +1 (204) 269-2255

Email: info@cbsalife.com

Website: <https://cbsalife.com>